EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6515300").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 11:55
S 2	2	("6372534").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 15:55
S3	4	("5229644").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:28
S4	2	("5641974").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 12:00
S 5	2	("5585951").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 12:19
S 6	5	"349"/\$.ccls. and low adj transmittance near8 blue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 12:24
S 7	82	"349"/\$.ccls. and (low lower lowering) near8 transmit\$6 near8 blue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 12:26

S10	14	"349"/\$.ccls. and (low lower lowering) near8 transmit\$6 near8 blue same (insulation insulator passivation insulating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 12:29
S11	6	"349"/\$.ccls. and (low lower lowering) near8 transmit\$6 near8 blue.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 12:29
S12	17	(low lower lowering) near8 transmit\$6 near8 blue same (insulation insulator passivation insulating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 13:09
S13	2	"US 20010002857"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/09/13 15:09
S14	788	"349"/\$.ccls. and (insulator insulation passivation) same (thick thickness) same ("mu.m"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:11
S15	373	"349"/\$.ccls. and (insulator insulation passivation) near8 (thick thickness) near8 ("mu.m"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:17
S16	1161	"349"/\$.ccls. and (insulator insulation passivation insulating) near8 (thick thickness) near8 ("mu.m"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:46
S17	2023	"349"/\$.ccls. and (insulator insulation passivation insulating resin) near8 (thick thickness) near8 ("mu.m" "Ang.")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:18

S18	O	"349"/\$.ccls. and reactive near4 peak near4 wavelength near8 (nanometer nm nano) same (photo near3 resin)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:48
S19	40	"349"/\$.ccls. and wavelength near8 (nanometer nm nano) same (photo near3 resin)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:49
S20	12	"349"/\$.ccls. and (reaction reactive react) same wavelength near8 (nanometer nm nano) same (photo near3 resin)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:49
S21	23	"349"/\$.ccls. and resin same positive same (methacrylic glycidyl)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:01
S22	919	"349"/\$.ccls. and (methacrylic glycidyl)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:01
S23	53	"349"/\$.ccls. and (methacrylic glycidyl) same resin same (curing cure cured)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:06
S24	12	"349"/\$.ccls. and methacrylic same glycidyl same resin same (curing cure cured)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:08
S25	37	"349"/\$.ccls. and methacrylic same glycidyl same resin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:15

S26	408	"349"/\$.ccls. and wavelength near10 "365"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:16
S 27	397	"349"/\$.ccls. and wavelength near10 "365" near3 (nanometer nm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:16
S28	36	"349"/\$.ccls. and (reaction react reactive reacting) same wavelength near10 "365" near3 (nanometer nm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:16
S29	39	"349"/\$.ccls. and (reaction react reactive reacting) same wavelength near10 "365" near3 (nanometer nm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:17
S30	9	"349"/\$.ccls. and removing adj solution same pixel adj electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:34
S31	382	"349"/\$.ccls. and solution same pixel adj electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:34
S32	3345	"349"/\$.ccls. and amorphous adj silicon same semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:41
S 33	960	"349"/\$.ccls. and amorphous adj silicon same (on top overlapping over overlapped overlap) same semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:41

S34	347	"349"/\$.ccls. and amorphous adj silicon near8 (on top overlapping over overlapped overlap) same semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:41
S35	230	"349"/\$.ccls. and amorphous adj silicon near8 (on top overlapping over overlapped overlap) near8 semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:48
S36	8	(("5229644") or ("5822027") or ("5341012")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 13:06
S37	9	"257"/\$.ccls. and channel near10 amorphous adj silicon near8 (on top overlapping over overlapped overlap) near8 semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:49
S38	32	"349"/\$.ccls. and (aperture open opening) near9 ratio near10 "80"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 13:07
S40	424	"349"/\$.ccls. and (photo near2 sensitive)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/04/25 09:39
S42	26	"349"/\$.ccls. and photo near2 sensitive with acrylic adj resin	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/04/25 09:40
S43	103	"349"/\$.ccls. and (photo near2 sensitive) with insulat \$4	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/04/25 09:41
S44	2	("5822027").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 09:58

S45	2	("5341012").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 10:03
S46	424	"349"/\$.ccls. and (photo near2 sensitive)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/04/25 10:23
S47	66	photo near2 sensitive with acrylic adj resin	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/04/25 10:23
S48	3639	"349"/\$.ccls. and etch \$3 with (passivat\$4 insulat\$4)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/04/25 12:18
S49	409	"349"/\$.ccls. and etch \$3 with (passivat\$4 insulat\$4) and @ay<="1995"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/04/25 12:20
S50	29	"349"/\$.ccls. and insulat\$4 with transmittance same (blue green red)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:26
S51	932	"349"/\$.ccls. and transmittance same (blue green red)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:41
S52	179	"349"/\$.ccls. and transmittance same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:42
S53	59	"349"/\$.ccls. and transmittance same (low lower less) same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:51

S54	1	"257"/\$.ccls. and (insulat\$4 passivat\$4) same transmittance same (low lower less) same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:53
S55	3	"257"/\$.ccls. and (insulat\$4 passivat\$4) same transmittance same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:54
S56	4	"349"/\$.ccls. and (insulat\$4 passivat\$4) same transmittance same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:54
S57	5	(("6052162") or ("6097452") or ("6195138") or ("6433851")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:59
S58	4	S57 and blue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:59
S59	2	S57 and blue.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:59
S60	43	("3602782" "4688896" "4759610" "4857907" "4923948" "5003356" "5032883" "5166085" "5182661" "5246782" "5314783" "5335102" "5378585" "5463481"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/25 13:02

		"5483082" "5500750" "5517342" "5526014" "5585951" "5594571" "5641974" "5658697" "5675159" "5679596" "5682211" "5688366" "5688410" "5695906" "5822027" "5831708" "5859683" "5870157" "5877830").PN. OR ("6097452").URPN.				
S61	15	S60 and blue	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/25 13:03
S62	409	"349"/\$.ccls. and transmitt\$4 with (percent\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/25 13:05
S63	11	"349"/\$.ccls. and transmitt\$4 with (percent\$3) same (insulat\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/25 13:06
S64	2	("6515300").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 13:10
S65	2	("6372534").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 13:14
S66	1	(photo near3 (resist sensitive image imageable)) with (insulat\$4 passivat\$4) with (transmittance) same (blue red green)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 13:45

4/28/2008 10:46:17 AM

C:\ Documents and Settings\ Ichien\ My Documents\ EAST\ Workspaces\ 10771263.wsp